

2026 Nissan Armada Specifications

Specifications are based on the latest product information available at time of printing.

S – Standard **O** – Optional

Pt. – Platinum Pt. Res. – Platinum Reserve

Mechanical

Engine	SV	SL	Pt.	PRO- 4X	NISMO	Pt. Res.		
Name	V6							
Туре			VR35	DDTT				
Cam design			DC	HC				
Cylinders / configuration	4 va	lves per c	/linder with	n steel inta	ke and exł	naust		
Camshaft drive type			Timing	g chain				
Block / head composition			Aluminum	/ Aluminun	n			
Displacement (liters / cc)			3.5 liters	/ 3,492 cc				
Horsepower		425 hp @	5,600 rpm	1	460 hp @	425 hp @		
					5,600 rpm	5,600 rpm		
Torque (lb-ft)			516 lb-ft @	3.600 rpr		. ipin		
Bore & stroke (mm)				2 x 86				
Compression ratio				5:1				
Maximum engine speed			6,00	0 rpm				
Induction system			Twin-turt	ocharged				
Intake manifold composition			Pla	stic				
Valvetrain			24 \	valve				
Fuel delivery system			Direct i	njection				
Required fuel		Regular	unleaded		Premium	Regular		
Recommended fuel		Premium	unleaded		N/A	Premium		
Engine oil cooler type				coolant				
Emission certification level		EPA Tier	3-Bin125,	CARB LEV4	1-ULEV50			
Exhaust type			Sir	ngle				

Electrical	
Spark plugs	Iridium-Tipped
Ignition immobilizer system	S
Starter	12-volt
Battery	85 Ah
Trailer towing – Trailer harness plug	7-Pin
type A	

Trailer towing – Plug with connector	7-Pin
type	

Transmission and Drive System	SV	SL	Pt.	PRO -4X	NISMO	Pt. Res.		
Drive configuration			RWD a	nd 4WD)			
Transmission type	9.	-speed au	utomatic	with pa	ddle shifte	rs		
Gear ratio (:1)								
1st			5.4	425				
2nd			3.2	263				
3rd			2.	25				
4th			1.6	549				
5th			1.2	221				
6th				1				
7th			0.8	362				
8th			0.7	713				
9th			0.5	597				
Reverse gear			4.7	799				
Final drive ratio (:1)		1	3.3	357				
Tow Mode	-			S				
Drive Mode Selector with multiple drive	_	- S						
modes								
Hill Start Assist	S							
Hill Descent Control	- S (4WD only)							
Trailer Sway Control			1	S	1			
Electronic locking rear differential	-	-	-	S	-	-		

Body / Chassis	
Body type	Body-on-frame
Primary materials	Corrosion-resistant and high-strength steel

Brakes	
Front	
Туре	Twin-piston swing caliper disc brakes/vented disc
Rotor size (diameter x thickness, inches)	13.78 x 1.18
Rear	
Туре	Single-piston swing caliper disc brakes/vented disc
Rotor size (diameter x thickness, inches)	13.78 x 0.79
Parking brake	Electric with auto hold
Brake control	Brake by wire

Steering	SV	SL	Pt.	PRO- 4X	NISMO	Pt. Res.
Туре		Ele	ectric po	ower stee	ering	
NISMO-tuned	-	-	-	-	S	-
Turns (lock-to-lock)	3.1					
Steering wheel						
Manual tilt/telescope	S			-		
Leather-wrapped				S		
With stitching			-			S
Heated	-	S				
Power tilt/telescope	- S					
Memory	- S					
Haptic	S					

Suspension	SV	SL	Pt.	PRO- 4X	NISMO	Pt. Res.
Front suspension		Indepe	endent,	double v	vishbone	
Components	Coil spring with shock Air spring with absorber absorber					shock
Rear suspension		Indepe	endent,	double v	vishbone	
Components	Coil spring and shock absorber separated from coil spring				pring and s er separate coil spring	ed from
Adaptive Electronic Air Suspension	-	-	-	S	S	S
NISMO-tuned	-	-	-	-	S	-

Exterior

Wheels and Tires	SV	SL	Pt.	PRO- 4X	NISMO	Pt. Res.	
18-inch alloy wheels	S	-	-	-	-	-	
20-inch machined and painted alloy wheels	-	S	S	-	-	-	
20-inch PRO-4X wheels	-	-	-	S	-	-	
22-inch machined and painted alloy wheels	-	-	-	-	-	S	
22-inch NISMO machined and painted alloy wheels	-	-	-	-	S	-	
265/70R18 all-season tires	S	-	-	-	-	-	
275/60R20 all-season tires	-	S	S	-	-	-	
275/60R20 all-terrain tires	-	-	-	S	-	-	
275/50R22 all-season tires	-	-	-	-	-	S	
275/50R22 high-performance all-season tires	-	-	-	-	S	-	
Tire Pressure Monitoring System	S						
Spare tire	Full- size Medium-size, 18-inch alloy						

Lights	SV	SL	Pt.	PRO- 4X	NISMO	Pt. Res.
Headlights						

Туре	LED low-beam, LED high-beam							
Auto on/off	S							
LED Daytime Running Lights	S							
High Beam Assist	S							
LED fog lights	-	-	S	S	S	S		
Tail lamps		LED						
Rear LED light bar	-	-	-	S	-	S		
Center high mount stop light	S							
Side mirror-mounted turn signals				S				

Exterior Features	SV	SL	Pt.	PRO- 4X	NISMO	Pt. Res.
Black painted front grille with black inner	-	-	-	S	-	-
Unique front bumper with increased approach angle	-	-	-	S	-	-
Tow hooks – Lava Red-painted	-	-	-	S	-	-
D-Pillar finisher	S	S	S	-	S	S
D-pillar finisher – Lava Red	-	-	-	S	-	-
Fender flares (over-fenders)	-	-	-	S	S	-
Underbody metal skid plate	-	-	-	S	-	-
NISMO-designed front and rear fascias, front grille, over fenders, rear spoiler	-	-	-	-	S	-
Side view mirrors						
Power adjust				S		
Heated	-	-	S	S	-	S
Power tilt and fold, auto-dimming, with integrated turn signals	-	-	S	S	-	S
Black painted	S	S	S	S	S	S
Puddle lamp	-	-	-	S	-	S
Roof rails	S	S	S	-	S	S
Black-painted roof rails	-	-	-	S	-	-
Black Running boards	S	S	S	S	-	-
Body-color running boards	-	-	-	-	-	S
Dual panoramic moonroof	-	-	S	0	S	S
Manual liftgate with auto-close	S	S	-	-	-	-
Power liftgate	-	-	S	-	-	-
Motion-activated liftgate with position memory	-	-	S	-	S	S
Laminated acoustic windshield				S		
UV window glass (tinted side window and privacy tinted back/rear windows)				S		

Towing Features/Capacities	sv	SL	Pt.	PRO- 4X	NISMO	Pt. Rest
Tow hitch receiver with trailer towing harness and pre-wire and connector for brake controller			S, (Class IV		
Trailer Sway Control				S		
Trailer Brake Controller				S		

Trailer Back-up Assist	-	S						
Integrated Trailer Brake Controller	-	-	I	S	S	S		
Maximum towing capacity – Trailer (pounds)	8,500							
Maximum towing capacity – Tongue (pounds)	850							

Seating	SV	SL	Pt.	PRO- 4X	NISMO	Pt. Res.	
Capacity							
8-passenger	S	S	0	S	-	0	
7-passenger	-	0	S	0	S	S	
Materials							
Leatherette appointments	S	-	-	-	-	-	
TailorFit [™] appointments	-	S	-	-	-	-	
Quilted leather appointments	-	-	S	-	-	S	
Unique leather appointments with quilted insert and stitching	-	-	-	S	-	-	
NISMO suede	-	-	-	-	S	-	
Front seats		-					
Driver 8-way power	S	-	-	-	-	-	
Driver 10-way power with 2-way lumbar	-	S	-	S	-	-	
Driver 12-way power with 4-way lumbar	-	-	S	0	S	S	
Memory function	-				S		
Passenger 4-way power	S	-	-	-	-	-	
Passenger 6-way power with 2-way lumbar	-	S	-	S	-	-	
Passenger 12-way power with 4-way lumbar	-	-	S	0	S	S	
Heated	-	S	-	S	S	-	
Heated and cooled	-	-	S	0	-	S	
Massaging		-			S	S	
Туре	Zei	ro Gravit	•	height-ad straints	ljustable he	ead	
Second-row seats							
Zero Gravity outboard 40/20/40 split fold-down bench	S	S	0	S	S	0	
Zero Gravity captain's chairs	-	0	S	0	0	S	
Center console with two cupholders	-	0	S	0	0	S	
Latch and Glide [®] technology	S	S	0	S	S	0	
EZ FLEX [®] with one-touch release	-	S	S	S	S	S	
Heated	-	-	S	0	-	S	
Third-row seats	L	1			I		
60/40 split 3rd row bench seat				S			
Power and remote one-touch folding	-			S			
Flat-folding into floor	S						

Audio, Connectivity and Navigation	SV	SL	Pt.	PRO- 4X	NISMO	Pt. Res.		
6-speaker audio system	S			-				
Klipsch [®] 12-speaker audio system with								
Active Sound Enhancement, 600 watts,	-	S						
12 channels								
Bluetooth [®] hands-free phone system		1	•	S				
NissanConnect [®] with 12.3-inch	S	S	_	_	_	_		
touchscreen		5						
NissanConnect [®] with 14.3-inch		_	S	s	S	S		
touchscreen		1	5	5	_	5		
With Suspension Stroke Indicator	-	-	-		S	-		
NissanConnect [®] Services with Hybrid								
Radio, SiriusXM [®] 360L and myQ [®]	S			-				
Connected Garage								
NissanConnect [®] Services with Google								
Assistant, Google Maps, Play Store,	-			S				
Nissan Door to Door Connected				-				
Navigation								
Wireless Apple CarPlay®				S				
Siri Eyes Free [®]				S				
Wireless Android Auto™		1		S				
Amazon Alexa Built-in	-			S				
Nissan Door to Door Navigation System	-			S				
Hybrid Radio	-			S				
SiriusXM [®] Satellite Radio				S				
In-car 5G Wi-Fi hotspot	-			S				
USB Type C ports (bench seat)		6 -						
USB Type C ports (captain's chairs)		-	-	-	-	8		
Wireless phone charging pad	-		1	S				
In-Car Camera	-	-	S	0	-	S		
Intelligent Dash Cam	-	-	S	0	-	S		

Instrumentation	SV	SL	Pt.	PRO- 4X	NISMO	Pt. Res.
Meters/Gauges						
Speedometer			Di	gital		
Tachometer			Di	gital		
Outside temperature			Di	gital		
Tire pressure warning			Di	gital		
Shift position indicator			Di	gital		
Clock			Di	gital		
4WD indicator / warning			Di	gital		
Tire pressure display			Di	gital		
12.3-inch Advanced Drive-Assist [®] Display	S	S	-	-	-	-
14.3-inch Advanced Drive-Assist [®] Display	-	-	S	S	S	S
Head-up display	-	0	0	0	-	0
Off-road information display (4WD only)	S	S	S	S	S	S

Comfort and Convenience Features	sv	SL	Pt.	PRO- 4X	NISMO	Pt. Res.		
Nissan Intelligent Key [®] with push-								
button ignition, approach unlock and	S							
walk-away lock								
12V power points				2				
Cupholders		8 (plus 4 b	ottle hol	ders)			
Front		2 (plus 2 b	ottle hol	ders)			
Second row		2 (plus 2 b	ottle hol	ders)			
Third row				4				
120-volt power outlet (cargo area)	-			S				
Tri-zone Automatic Temperature				S				
Control with rear air vents				5				
Biometric Cooling	-	-	S	0	-	S		
Front and rear sonar sensors				S				
Remote Engine Start				S				
Front rain- and speed-sensing wipers				S				
Heated wiper park	-	-	S	-		S		
RearView Monitor	S	-	-	-		-		
HD Enhanced Intelligent Around View [®] Monitor with Moving Object Detection	-	S	-	-	-	-		
Invisible Hood View and Front Wide View	-	S	S	S	S	S		
3D Around View [®] Monitor	-	-	S	S	S	S		
Intelligent Rear View Mirror	-	-	S	-	S	S		
Homelink Universal Garage Door Opener (UGDO)	-	-	S	-	S	S		
Door pocket LED lighting	-	-	S	-	S	S		
Ambient lighting with multicolor illumination	-	-	S	-	S	S		
Aluminum pedal		-			S	-		
Rear Door Alert				S				
Intelligent Driver Alertness				S				
Intelligent Auto Headlights				S				
Traffic Sign Recognition				S				

Safety and Security

Passenger Restraint Systems	sv	SL	Pt.	PRO -4X	NISMO	Pt. Res.
Nissan Advanced Air Bag System with dual-stage supplemental front air bags				S		
Driver and passenger front seat- mounted side-impact supplemental air bags				S		
Roof-mounted curtain supplemental air bags with rollover sensor	S					
Driver and front passenger knee air bags				S		
Front far side air bag			-			S

Seat belt reminder	S, all rows
Emergency call and Auto Hazard	S

Child Safety	
Child seat upper tether anchors	S
Power window lockout button	S
LATCH System (Lower Anchors and Tethers	S
for CHildren)	
Child safety rear door locks	S
Emergency inside trunk release	S

Passive Safety	
Zone Body construction with front and rear	
crumple zones	
Body side reinforcements	
Energy absorbing steering column	S
Hood buckling creases	
Knee bolsters	
Shift interlock system	

Safety, Security and Driver Assist Features	SV	SL	Pt.	PRO -4X	NISMO	Pt. Res.	
Nissan Vehicle Immobilizer and Vehicle Security System				5			
Intelligent Forward Collision Warning			9	5			
Automatic Emergency Braking with Pedestrian Detection	S						
Blind Spot Warning			0,	5			
Intelligent Blind Spot Intervention			0	5			
Trailer Blind Spot Warning			0,	5			
Intelligent Lane Intervention			0	5			
Lane Departure Warning			0,	5			
Lane Departure Prevention			0	5			
Rear Automatic Braking			0,	5			
Rear Cross Traffic Alert			0,	5			
My Parking Locations	-	S	S	S	S	S	
Trailer Back Up Assist	-	S	S	S	S	S	
ProPILOT Assist	S	-	-	-	-	-	
ProPILOT Assist 1.1	-	S	S	S	S	S	
ProPILOT Assist 2.1	-	0	0	-	0	0	

Dimensions

Exterior (inches)	SV	SL	Pt.	PRO -4X	NISMO	Pt. Res	
Wheelbase	121.1						
Overall length	209.6				210.9	209.6	
Overall width (mirrors folded/open)			83.3	/ 92.5			
Overall height	76.6 - 78.0				76.6	76.6 -	
						78.0	
Minimum ground clearance	9.6	9.9	9.9	9.6	8.9	9.6	

Maximum ground clearance	-	-	-	11.6	10.9	11.6
Angle of approach (degrees)	16.6	17.3	17.3	33.0	19.5- 23	16.5
Angle of departure (degrees)	21.9	22.3	22.3	24.5	22- 24.5	22.0
Breakover angle (degrees)	22.3	22.9	22.9	25.5	22- 26.0	21.6

Interior (inches)	Front	Second Row	Third Row
Head room w/ Moonroof	40.8	37.8	36.2
Head room w/o Moonroof	41.6	40.0	36.2
Shoulder room	64.2	63.7	63.1
Hip room	59.9	59.9	51.7
Leg room	43.8	39.2	32.9

Weights (RWD)	SV	SL	Pt.	Pt. Res.	
Curb (pounds) (8/7	5,676	5,755 (8)	5,808 (8)	5,859 (8)	
person seating)		5,793 (7)	5,846 (7)	5,897 (7)	
GVWR (pounds)	7,575				

Weights (4WD)	SV	SL	Pt.	PRO-4X	NISMO	Pt. Res.
Curb (pounds) (8/7 person seating)	5,870	5,965 (8) 6,003 (7)	6,017 (8) 6,055 (7)	6,055 (8) 6,093 (7)	6,102	6,116 (8) 6,078 (7)
GVWR (pounds)	7,810					

Capacities	
Fuel tank (gallons)	23.6
Engine oil (quarts)	5.6 - 6.0 (depending on filter)
Maximum towing capacity (pounds)	8,500
Tongue weight (pounds)	850

Volume (cubic feet)	
Cargo volume	
Behind third row	20.4
With third row folded	56.3
Second and third rows folded	97.1
Total volume w/ moonroof	167.6
1 st Row	66.3
2 nd Row	57.8
3 rd Row	43.5
Total volume w/o moonroof	161.6
1 st Row	66.3
2 nd Row	54.6
3 rd Row	43.5

EPA Estimated Fuel Economy	2WD	4WD	NISMO (4WD only)	PRO-4X (4WD only)	
City	16	16	16	15	
Highway	20	19	19	18	
Combined	18	17	17	16	
Classification	SUV				

Options	SV	SL	Pt.	PRO- 4X	NISMO	Pt. Res.
Captain's Chairs Package : Second- row captain's chairs, second-row center console with two cupholders, second- row EZ FLEX [®] seating system with one- touch release	-	0	-	0	-	-
Split-Bench Seat Package: Second- row split bench seat with 40/20/40 split folding, second-row center console with two cupholders, second-row EZ FLEX [®] seating system with one-touch release	-	-	0	-	-	0
ProPILOT Assist 2.1 (SL): ProPILOT Assist 2.1 with ProPilot mode ambient lighting, head-up display	-	0	-	-	-	-
ProPILOT Assist 2.1 (Platinum): ProPILOT Assist 2.1 with ProPilot mode ambient lighting, head-up display	-	-	0	-	-	-
ProPILOT Assist 2.1 (Platinum Reserve): ProPILOT Assist 2.1 with ProPILOT mode ambient lighting	-	-	-	-	-	0
PRO-4X Premium Package: Intelligent Dash Cam, panoramic moonroof, 12-way power driver's seat including 4-way power lumbar, 12-way power passenger's seat including 4-way power lumbar, climate-controlled driver and passenger seats (heated and ventilated), heated second-row seats, hands-free power liftgate, Biometric Cooling, Intelligent Rear View Mirror with auto dimming, Homelink UGDO	-	-	-	Ο	-	-

S - Standard O - Optional
Pt. - Platinum
Pt. Res. - Platinum Reserve