2026 HONDA RIDGELINE SPECIFICATIONS & FEATURES	Sport	RTL	TrailSport	Black Edition
POWER UNIT	_			
ENGINE				
Engine Type	V6			<<
Displacement (cc)	3,471	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	<u> </u>
Horsepower (SAE net @ rpm) ¹	280 @ 6,000	<<	<<	<<
Torque (lbft. @ rpm) ²	262 @ 4,700	<<	<<	<<
Redline (rpm)	6,800	<<	<<	<<
Bore and Stroke (mm)	89 x 93	<<	<<	<<
Compression Ratio	11.5:1	<<	<<	<<
Valve Train	24-Valve SOHC i-VTEC®	<<	<<	<<
Direct Fuel Injection	•	•	•	•
Eco Assist™ System	•	•	•	•
Variable Cylinder Management™ (VCM®) Active Control Engine Mount System (ACM)	•	•	•	•
Direct Ignition System with Immobilizer	•	•	•	•
High-Capacity Radiator with High-Power Fans (2)	•	•	•	•
Idle-Stop	•	•	•	•
CARB Emissions Rating ³	LEV4-ULEV70	<<	<<	<<
DRIVETRAIN				
Intelligent Variable Torque Management™ (i-VTM4®) AWD System	•	•	•	•
9-Speed Automatic Transmission (9AT) with Shift-By-Wire (SBW) and Paddle Shifters	•	•	•	•
Gear Ratios:				
1st	4.713	<<	<<	<<
2nd	2.842	<<	<<	<<
3rd	1.909	<<	<<	<<
4th	1.382	<<	<<	<<
5th	1.000	<<	<<	<<
6th	0.808	<<	<<	«
7th	0.699	<<	<<	<<
8th 9th	0.580 0.480	<< <<	<< <<	<< <<
Reverse	3.83	**	**	<<
Final Drive	4.33	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	<<
Heavy-Duty Transmission Cooler	•	•	•	•
Theory 2 day manuscribes contain				
FUEL				
EPA MPG Ratings* (City / Hwy / Combined) ⁴	18 / 24 / 21	<<	18 / 23 / 20	18 / 24 / 21
Fuel Tank Capacity (U.S. gal)	19.5	<<	<<	<<
Recommended Fuel	Regular Unleaded	<<	<<	<<
CHASSIS				
	Normal / Snow / Sand /			
Intelligent Traction Management	Mud	<<	**	<<
Advanced Compatibility Engineering™ (ACE™) Body Structure	•	•	•	•
Unit-Body Construction	•	•	•	•
MacPherson Strut Front Suspension	•	•	•	•
Multi-Link Rear Suspension Off-Road Tuned Suspension	-	•	•	•
Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•
Stabilizer Bar (mm) (Front / Rear)	25.0 solid /	<<	<<	
Steering Wheel Turns, Lock-to-Lock	26.5 x 4.5 tubular 3.04	<<	**	<<
Steering Ratio	15.86:1	<<	<<	<<
Turning Diameter, Curb-to-Curb (ft.)	43.4	<<	<<	<<
Power-Assisted Ventilated Front Disc / Solid Rear Disc Brakes (in.)	12.6 / 13.0	<<	<<	<<
Wheels	18 in Shark Gray Alloys	18 in Pewter Gray Machine- Finished Alloys	TrailSport 18 in Shark Gray Alloys	18 in Berlina Black Alloys
Black Lug Nuts	-	-	-	•
All-Season Tires	245 / 60 R18 105H	<<	-	245 / 60 R18 105H
		_	•	_
All-Terrain Tires Compact Spare Tire	T165 / 90 R17 105M	<<	<<	<<

DIMENSIONS					
EXTERIOR					
Length (in.)	210.2	<<	<<	<<	
Width (in.)	78.6	<<	<<	<<	
Height (in.)	70.8	<<	<<	<<	
Wheelbase (in.)	125.2	<<	<<	<<	
Track (in.) (Front / Rear)	66.9 / 66.8	<<	<<	<<	
Ground Clearance (in.) (unladen)	7.64	<<	<<	<<	
Approach / Breakover / Departure Angles (deg.)	20.4 / 19.6 / 19.6	<<	<<	<<	
Truck Bed Length (in.) (Tailgate up / Down)	64.0 / 83.0	<<	<<	<<	
Truck Bed Width (in.) (At wheel wells / At D-pillar / At bed walls)	50.0 / 51.0 / 60.0	<<	<<	<<	
Heavy-Duty Truck Bed Tie-Down Cleat Capacity (lbs.)	350	<<	<<	<<	

Truck Bed Cargo Volume (cu ft.)	33.9	<<	<<	<<
n-Bed Trunk [®] Volume (cu ft.)	7.3	<<	<<	<<
, ,				
NTERIOR				
Headroom (in.) (First row / Second row)	40.1 / 38.8	39.5 / 38.8	<<	<<
Legroom (in.) (First row / Second row)	40.9 / 36.7	<<	<<	
Shoulder Room (in.) (First row / Second row)	62.0 / 61.5	<<	<<	
Hiproom (in.) (First row / Second row)	59.1 / 56.6	<<	<<	<<
EPA Passenger Volume (cu ft.)	109.7	108.9	<<	<<
2nd-Row Underseat Storage Volume (cu ft.)	2.9	<<	<<	<<
WEIGHT				
Gross Combined Weight Rating (GCWR) (lbs.)	9,986	<<	<<	<<
Gross Vehicle Weight Rating (GVWR) (lbs.)	6,019	<<	<<	
Curb Weight (lbs.)	4,420	4,480	4,495	4,504
Total Payload Capacity (lbs.)	1,583	1,544	1,521	1,509
Weight Distribution (%) (Front / Rear)	57.1 / 42.9	<<	57.3 / 42.7	<<
Towing Capacity ⁵ (lbs.)	5,000	<<	<<	<<
, , , , , , , , , , , , , , , , , , , ,	<u> </u>			
FEATURES				
HONDA SENSING®				
Collision Mitigation Braking System™ (CMBS™) ⁶	•	•	•	•
Road Departure Mitigation System (RDM) ⁷	•	•	•	•
Forward Collision Warning (FCW) ⁸	•	•	•	•
Lane Departure Warning (LDW) ⁹	•	•	•	•
Lane Keeping Assist System (LKAS) ¹⁰	•	•	•	•
Adaptive Cruise Control (ACC) ¹¹	•	•	•	•
Blind Spot Information System (BSI) ¹²	•	•	•	•
Cross Traffic Monitor (CTM) ¹³	•	•	•	•
Auto High-Beam Headlights	•	•	•	•
Parking Sensors (2 Front & 4 Rear)	-	-	•	•
SAFETY & DRIVER ASSISTIVE TECHNOLOGY				
Advanced Compatibility Engineering™ (ACE™) Body Structure	•	•	•	•
Advanced Front Airbags	•	•	•	•
SmartVent [®] Front Side Airbags	•	•	•	•
Side Curtain Airbags with Rollover Sensor	•	•	•	•
Lower Anchors and Tethers for CHildren (LATCH):	•	•	•	•
Lower Anchors (2nd-Row All), Tether Anchors (2nd-Row All)				
Driver's and Front Passenger's Seat-Belt Reminder	•	•	•	•
Anti-Lock Braking System (ABS)	•	•	•	•
Vehicle Stability Assist™ (VSA®) with Traction Control ¹⁴	•	•	•	•
Electronic Brake Distribution (EBD)	•	•	•	•
Brake Assist	•	•	•	•
Multi View Rearview Camera with Dynamic Guidelines ¹⁵	•	•	•	•
Tire Pressure Monitoring System (TPMS) ¹⁶ with Tire Fill Assist and Location and Pressure Indicators	•	•	•	•
Location and Pressure indicators			1	
DRIVER CONVENIENCE				
Push Button Start	•	•	•	•
Key Fob Activated Remote Engine Start	•	•	•	•
Power Windows with Auto-Up / Down Driver's and Front	•	•	•	•
Passenger's Window				
Power Door and Tailgate Locks	•	•	•	•
One-Touch Turn Indicators	•	•	•	•
Tilt and Telescopic Steering Column	•	•	•	•
Sliding Sunvisor Vanity (Driver & Passenger)	•	•	•	•
Rear-Window Defroster with Timer	•	•	•	•
Tri-Zone Automatic Climate Control System with Humidity Control and Air Filtration	•	•	•	•
Capless Fuel Filler	•	•	•	•
Illuminated Steering Wheel-Mounted Controls	•	•	•	•
HomeLink® Remote System ¹⁷	-	•	-	•
Automatic-Dimming Rearview Mirror	<u>-</u>	•	•	•
Leather-Wrapped Steering Wheel	•	•	•	•
Leather-Wrapped Steering Wheel-Trail Orange Stitch	-		•	
Leather-Wrapped Steering Wheel-Irali Orange Stitch Leather-Wrapped Steering Wheel-Red Stitch	-	-	-	•
Heated Steering Wheel	_	_	•	•
Hill Start Assist	•	•	•	•
Power Sliding Rear Window	_	•	•	•
150-Watt / 400-Watt Truck-Bed Power Outlet	_	_	_	•
150-Watt/ 400 Watt Hack Box 1 offer Canal			1	
AUDIO & CONNECTIVITY				
7-Inch Meter Display	•	•	•	•
9-Inch Color Touchscreen	•	•	•	•
215-Watt Audio System with 7 Speakers, including Subwoofer	•	•	•	<u> </u>
	1		-	•
540-Watt Premium Audio System with 8 Speakers, including	-	- 	·	
540-Watt Premium Audio System with 8 Speakers, including Subwoofer	- -	- -		
540-Watt Premium Audio System with 8 Speakers, including	•	•	•	•

Speed-Sensitive Volume Compensation (SVC)	•	•	•	•
12-Volt Power Outlets (Front & 2nd Row)	•	•	•	•
Wireless Apple CarPlay® 19 Compatibility	•	•	•	•
Wireless Android Auto™ ²⁰ Compatibility	•	•	•	•
Wireless Phone Charger (Qi) ²¹	•	•	•	•
SiriusXM ^{®22}	-	•	•	•
HD Radio™ ²³	-	-	•	•
USB-A 2.5A Data Port ²⁴ - Front Console (1 Port)	•	•	•	•
USB-C 3.0A Charging Port - Front Console (1 Port)	•	•	•	•
USB-C 3.0A Charging Port - Rear Console (2 Ports)	-	-	-	•
Honda Satellite-Linked Navigation System™ with Voice				
Recognition ²⁵ and Honda HD Digital Traffic	-	-	•	•
HondaLink® ²⁶	•	•	•	•

INTERIOR				
5-Person Seating Capacity	•	•	•	•
Leather-Trimmed Seats	-	•	-	•
Leather-Trimmed Seats with Trail Orange Stitching	-	-	•	-
Heated Front Seats	-	•	•	•
Ventilated Front Seats	-	-	-	•
Driver's Seat with 10-Way Power Adjustment, including Power		_	_	
Lumbar Support and Two-Position Memory	-	•	•	•
Front Passenger's Seat with 4-Way Power Adjustment	-	•	•	•
Driver's and Front Passenger's Seatback Pockets	•	•	•	•
Rear Outboard Heated Seats	-	-	-	•
60 / 40 Split Lift-Up Rear Seat with Underseat Storage	•	•	•	•
Illuminated Driver's and Front Passenger's Vanity Mirrors	-	•	•	•
LED Front Map Lights	-	•	•	•
Ambient LED Lighting - Red	-	-	-	•
Ambient LED Lighting - Trail Orange	-	-	•	-
Multi-Functional Center Console Storage	•	•	•	•
Beverage Holders (Front and Rear)	•	•	•	•
Illuminated Beverage Holders (Front)	-	-	•	•
Floor Mats	•	•	-	•
Active Noise Cancellation™ (ANC)	•	•	•	•
TrailSport All-Season Floor Mats	-	-	•	-
Sunglasses Holder	•	•	•	•
Lockable Glove Compartment	•	•	•	•
Rear-Seat Heater Ducts	•	•	•	•
Courtesy Door Lights (Front)	-	-	-	•

EXTERIOR				
LED Low-Beam Headlights with Auto-On / Off	•	•	•	•
LED Daytime Running Lights (DRL)	-	-	•	•
LED Brake Lights	•	•	•	•
LED Fog Lights	•	•	•	•
Fin-Type Roof-Mounted Antenna	•	•	•	•
One-Touch Power Moonroof with Tilt Feature	-	•	•	•
Acoustic Windshield	-	•	•	•
Rear Privacy Glass	•	•	•	•
Security System with Remote Entry	•	•	•	•
Smart Entry with Walk Away Auto Lock®	•	•	•	•
Truck-Bed Lights	•	•	•	•
LED Truck-Bed Lights	-	-	-	•
Dual-Action Tailgate	•	•	•	•
In-Bed Trunk [®]	•	•	•	•
Heavy-Duty Truck Bed Tie-Down Cleats (8)	•	•	•	•
Integrated Class III Trailer Hitch with 7-Pin Connector	•	•	•	•
Heated Side Mirrors	-	•	•	•
Power Side Mirrors	•	•	•	•
Power Folding Side Mirrors	-	-	•	•
Dual Chrome Exhaust Finisher	•	•	•	•
Remote Fuel Filler Door Release	•	•	•	•
Black Roof	-	-	-	Available

COLORS & TRIM					
STANDARD EXTERIOR COLORS		AVAILABLE INTERIOR COLORS			
Solar Silver Metallic (NH-932M)	Black	Black	Black	-	
Crystal Black Pearl (NH-731P)	Black	Black, Brown	Black	Black / Red	
Modern Steel Metallic (NH-797M)	_	Black Brown	Black	_	

PREMIUM EXTERIOR COLORS	AVAILABLE INTERIOR COLORS			
Platinum White Pearl (NH-883P)	Black	Black, Gray, Brown	Black	Black / Red
Sonic Gray Pearl (NH-877P)	Black	Black	Black	Black / Red
Ash Green Metallic (G-545M)	-	-	Black	-
Radiant Red Metallic II (R-580M)	-	Black, Brown	Black	-

- [1] 280 @ 6000 rpm (SAE net)
- [2] 262 lb.-ft. @ 4700 rpm (SAE net)
- [3] LEV4-ULEV70 (Ultra-Low-Emission Vehicle) models as certified by the California Air Resources Board (CARB).
- [4] 18 city / 24 highway / 21 combined mpg rating for Sport, RTL and Black Edition trims. 18 city / 23 highway / 20 combined mpg rating for TrailSport trims. Based on 2026 EPA mileage ratings. Use for
- [5] Maximum towing capacity is 5,000 lbs. Towing requires accessory towing equipment. Please see your Honda dealer for details.

- [6] CMBS cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. System designed [7] Road Departure Mitigation only alerts drivers when lane drift is detected without a turn signal in use and can apply mild steering torque to assist driver in maintaining proper lane position and/or brake pressure to slow the vehicle's departure from a detected lane. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation [8] FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not
- [8] FCW cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
 [9] LDW only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition.
- System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.

 [10] LKAS only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. LKAS may not detect all lane
- markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.

 [11] ACC cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. ACC should not be used in heavy traffic, poor weather or on winding
- roads. ACC only includes a limited braking function. Driver remains responsible for slowing or stopping the vehicle to avoid a collision.

 [12] The systems are not a substitute for your own visual assessment before changing lanes or backing up, and may not detect all objects, or provide complete information about conditions, behind or to the
- [13] CTM system accuracy will vary based on weather, size of object, and speed. Driver remains responsible for safely operating vehicle and avoiding collisions.
- [14] VSA is not a substitute for safe driving. It cannot correct the vehicle's course in every situation or compensate for reckless driving. Control of the vehicle always remains with the driver.
- [15] Always visually confirm that it is safe to drive before backing up; the rearview camera display does not provide complete information about all conditions and objects at the rear of your vehicle.
 [16] For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see your Honda dealer for details.
- [17] HomeLink® is a registered trademark of Gentex Corporation.
- [18] The Bluetooth * word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license.
- [19] Apple CarPlay is a registered trademark of Apple Inc.
- [20] Android and Android Auto are trademarks of Google LLC.
- [21] Wireless phone charger is compatible with both Qi and Powermat wireless charging standards. Check with your device's manufacturer for wireless capability.
- [22] SiriusXM requires a subscription after any trial period. If you decide to continue your SiriusXM service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call SiriusXM at 1-866-635-2349 to cancel. See our Customer Agreement for complete terms at www.siriusxm.com. Fees and programming subject to change. Available in the 48 contiguous United States and D.C.. SiriusXM and all related marks and logos are trademarks of SiriusXM Radio Inc.
- [23] HD Radio is a proprietary trademark of iBiquity Digital Corporation.
- [24] The USB interface is used for playback of MP3, WMA or AAC music files from digital audio players and other USB devices, as well as smartphone data transfer on designated Smartphone/Audio Interface ports. Some USB devices and files may not work. Please see your Honda dealer for details.
- [25] The Honda Satellite-Linked Navigation System™ is standard on TrailSport and Black Edition trims in the United States, Canada and Puerto Rico. (Honda HD Digital Traffic service only available in the United States, except Alaska). Please see your Honda dealer for details.